

Trade name: MOTOR GOLD Supertec Sport SAE 5W-50

Substance number

Version: 1 / GB

Date revised: 18.09.2018

Replaces Version: - / GB

Print date: 25.09.18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MOTOR GOLD Supertec Sport SAE 5W-50

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Engine oil

Uses advised against

No applications known.

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

AVISTA OIL Deutschland GmbH

Bahnhofstr. 82

31311 Uetze

Telephone no. + 495177 / 85 - 0

Information provided Product Management (+49 5177 / 85 -178 or -100)

by / telephone

E-mail address of msds@avista-oil.de

person responsible

for this SDS

1.4. Emergency telephone number

+49 (0)551 19240 (24h/d) GIZ-Nord Poisons Centre

This number is only available within office times:

+49 51 77 / 85 -178 or -100 (Mo - Do 9 - 15 h / Fr 9 - 12 h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

Supplemental information

EUH210

Safety data sheet available on request.

2.3. Other hazards

Product can form a film on the water surface that can prevent oxygen exchange. Refer to section 11, 12 and 15.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mineral oil

Additive

Hazardous ingredients (Regulation (EC) No. 1272/2008)

Calcium long-chain alkylphenate sulfide

CAS No. 122384-87-6



Trade name: MOTOR GOLD Supertec Sport SAE 5W-50

Substance number

Version: 1 / GB

Date revised: 18.09.2018

Replaces Version: - / GB

Print date: 25.09.18

Concentration	>=	1	<	10	%
---------------	----	---	---	----	---

Classification (Regulation (EC) No. 1272/2008)					
		Aquatic Chronic 4			H413

Zinkdialkyl-dithiophosphate

CAS No. 68649-42-3

EINECS no. 272-028-3

Concentration	>=	1	<	2,5	%
---------------	----	---	---	-----	---

Classification (Regulation (EC) No. 1272/2008)					
		Skin Irrit. 2			H315
		Eye Dam. 1			H318
		Aquatic Chronic 2			H411

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Dam. 1	H318	> 10 %
Eye Irrit. 2	H319	>= 5 <= 10 %

Phenol, 4-dodecyl-

CAS No. 104-43-8

EINECS no. 203-202-9

Concentration	>=	0,1	<	0,25	%
---------------	----	-----	---	------	---

Classification (Regulation (EC) No. 1272/2008)					
		Skin Corr. 1C			H314
		Eye Dam. 1			H318
		Repr. 1B			H360F
		Aquatic Acute 1			H400
		Aquatic Chronic 1			H410

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

CAS No. 72623-87-1

EINECS no. 276-738-4

Registration no. 01-2119474889-13-XXXX

Concentration		50	<	60	%
---------------	--	----	---	----	---

Classification (Regulation (EC) No. 1272/2008)					
		Asp. Tox. 1			H304

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

CAS No. 64742-54-7

EINECS no. 265-157-1

Registration no. 01-2119484627-25-XXXX

Concentration		50	<	60	%
---------------	--	----	---	----	---

Classification (Regulation (EC) No. 1272/2008)					
		Asp. Tox. 1			H304

Other information

The mixture includes the substance with the CAS 64742-54-7 or the substance with the CAS 72623-87-1. Test data verify that the zinc dialkyl dithiophosphate does not cause the classification of the product as "Eye irritant 2". All concentrations are units of weight percent for liquids, and unit of volume percent for gaseous products. Other substances that are not classified to be hazardous, up to 100%. Complete text of hazard statements in chapter 16. Mixtures are not subject to registration. The registration numbers of the ingredients in this mixture (if present) have been listed in item 3.

Trade name: MOTOR GOLD Supertec Sport SAE 5W-50

Substance number

Version: 1 / GB

Date revised: 18.09.2018

Replaces Version: - / GB

Print date: 25.09.18

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor. Remove soiled or soaked clothing immediately, do not allow to dry. Never give anything by mouth to an unconscious person.

After inhalation

In the event of symptoms take medical treatment. Remove the casualty into fresh air and keep him calm.

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists. Remove contaminated clothing.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, Dry powder, Carbon dioxide, Water spray jet

Non suitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible. The hot product develops flammable fumes. In the event of fire the following can be released: Pyrolysis products; Hydrocarbons; Carbon dioxide (CO₂); Carbon monoxide (CO); Hydrogen sulfide (H₂S); Nitrogen oxides (NO_x); Phosphorus oxides; Smoke.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus. Wear full protective suit. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. High risk of slipping due to leakage/spillage of product. Avoid breathing vapours.

6.2. Environmental precautions

Do not allow to enter drains or waterways. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). When picked



Trade name: MOTOR GOLD Supertec Sport SAE 5W-50

Substance number

Version: 1 / GB

Date revised: 18.09.2018

Replaces Version: - / GB

Print date: 25.09.18

Hand protection

For this purpose, protective gloves are suitable, for instance, made by the company KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail: vertrieb@kcl.de with the following specification (tested as per EN374):

Use Permanent hand contact

Camatril (Item No: 731; Material: Nitrile; Minimum layer thickness: 0.33 mm; Burst time: 480 min)

Dermatril (Item No: 740; Material: Nitrile; Minimum layer thickness: 0.11 mm; Burst time: 30 min)

The protective gloves to be used must comply with the specifications of the EU directive 89/686/EEC and the standard EN374 derived from it. The above mentioned burst times are based on laboratory measurements of KCL made as per EN 374 and are applicable only for this KCL product.

Preventive skin protection by protective skin ointment.

Eye protection

Tightly fitting safety glasses; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective gloves resistant to chemicals; With steel toe cap.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Form	liquid		
Colour	brown		
Odour	characteristic		
Initial boiling point and boiling range			
Value	>	320	°C
Flash point			
Value		228	°C
Method		DIN ISO 2592	
Pour Point			
Value		-39	°C
Method		DIN/ISO 3016	
Upper/lower flammability or explosive limits			
Lower explosion limit		0,6	%(V)
Upper explosion limit		6,5	%(V)
Density			
Value	0,855	to	0,865 g/cm ³
Temperature	15	°C	
Solubility in water			
Remarks	insoluble		
Viscosity			
kinematic			
Value	106		mm ² /s
Temperature	40	°C	
kinematic			
Value	17,1		mm ² /s
Temperature	100	°C	

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.



Trade name: MOTOR GOLD Supertec Sport SAE 5W-50

Substance number

Version: 1 / GB

Date revised: 18.09.2018

Replaces Version: - / GB

Print date: 25.09.18

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

10.4. Conditions to avoid

Oxidising agents

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Refer to section 5.3.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Remarks May cause sensitization by skin contact.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks Based on available data, the classification criteria are not met.

Other information

There are no details for the formulation/mixture itself.

SECTION 12: Ecological information**12.1. Toxicity****General information**

There are no data available on the mixture itself. The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

12.2. Persistence and degradability**Biodegradability**



Trade name: MOTOR GOLD Supertec Sport SAE 5W-50

Substance number

Version: 1 / GB

Date revised: 18.09.2018

Replaces Version: - / GB

Print date: 25.09.18

Remarks

The product is not readily biodegradable according to OECD criteria but is inherently biodegradable.

12.3. Bioaccumulative potential**General information**

There are no data available on the mixture itself.

12.4. Mobility in soil**General information**

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment**Evaluation of persistence and bioaccumulation potential**

The ingredients of this formulation do not comply with the criteria for the classification as PBT or vPvB.

12.6. Other adverse effects**General information / ecology**

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

EWC waste code	13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
----------------	-----------	---

Dispose of as hazardous waste.

Disposal recommendations for packaging

EWC waste code	13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
----------------	-----------	---

Packaging that cannot be cleaned should be disposed off as product waste.

EWC waste code	13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
----------------	-----------	---

Uncontaminated packaging may be taken for recycling.

SECTION 14: Transport information**Information for all modes of transport****14.6. Special precautions for user**

Non-dangerous goods

SECTION 15: Regulatory information**15.2. Chemical safety assessment**

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information**Hazard statements listed in Chapter 3**

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.



Trade name: MOTOR GOLD Supertec Sport SAE 5W-50

Substance number

Version: 1 / GB

Date revised: 18.09.2018

Replaces Version: - / GB

Print date: 25.09.18

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

CLP categories listed in Chapter 3

Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment, chronic, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage, Category 1
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion, Category 1C
Skin Irrit. 2	Skin irritation, Category 2

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.