



## **MOTOR GOLD Twotec Speed**

**MOTOR GOLD Twotec Speed** is a synthetic (PIB based) nearly smokeless two-stroke engine oil, which according to manufacturer's recommendation can be used up to a mixing ratio of 1:100. Due to modern additive technology and the application of special base oils **MOTOR GOLD Twotec Speed** meets the severe requirements of the two-stroke engine.

**MOTOR GOLD Twotec Speed** effectively prevents the coke formation in piston ring grooves, in combustion chambers as well as in the areas of air intake and air outlet. Fouling of spark plugs and pre-ignition is prevented by the low-ash additives.

**MOTOR GOLD Twotec Speed** is universally applicable oil for pre-mix and injection systems, specially developed for two-stroke engines. It is suitable for water-cooled as well as air-cooled two-stroke engines, e.g. motorbikes, lawnmowers, chainsaws etc.

The instructions of the engine manufacturers should be observed.

### **ACEA-/API-specifications:**

API TC

API TB

### **Meets/suitable for use:**

(Meets requirements for product approval, but there is no specific product approval notified)

Piaggio SI

Husqvarna

ISO-L-EGD

JASO-FC

TISI



### Technical characteristics MOTOR GOLD Twotec Speed:

Parameter	Testing Methods	Units	
Density 15 °C	DIN EN ISO 12185	g/cm <sup>3</sup>	0.861
Kin. Viscosity @ 40 °C	DIN 51562 -1	mm <sup>2</sup> /s	44.6
Kin. Viscosity @ 100 °C	DIN 51562-1	mm <sup>2</sup> /s	7.8
Viscosity Index	DIN ISO 2909		135
Pour Point	DIN ISO 3016	°C	-21
Flash Point	DIN ISO 2592	°C	≥ 105

The given data are typical data. Please observe operating prescriptions.

### AVAILABLE PACKAGING:

	Bulk	IBC	208 Liter	60 Liter	20 Liter	4*5 Liter	4*4 Liter	12*1 Liter
MOTOR GOLD Twotec Speed								•

<sup>1</sup>Version 4 – 10/2017

<sup>1</sup> This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AVISTA OIL Group or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale.