



MOTOR GOLD Lighttec Premium SAE 5W-30

MOTOR GOLD Lighttec Premium SAE 5W-30 is a fuel-saving "low SAPS" heavy duty diesel engine oil based on the latest additive technology in combination with excellent base oils (API group III / HC synthesis). Specially adapted to the latest exhaust emission standards. Excellent suitability for use in Euro IV, V & VI engines in combination with low-sulfur diesel fuel (observe manufacturer's instructions).

MOTOR GOLD Lighttec Premium SAE 5W-30 meets or exceeds a broad range of industry and manufacturer specifications, e.g. transport, construction and agricultural equipment.

Other advantages:

- Fuel Economy
- Outstanding wear protection
- Excellent Low Temperature Performance
- Low sulfate ash-, phosphorus- and sulfur content "Low SAPS"

ACEA-/API-specifications:

ACEA E6

ACEA E7

ACEA E9

API CI-4

Meets/suitable for use:

(Meets the requirements of the OEM-Approval. An approval by name from the manufacturer is not present.)

Cummins CES 20076/78

DAF meets requirements

JASO DH 2

Deutz DQC III-10 LA

MAN M 3477, M 3271-1

MACK EO-N

MB 228.51

MTU Type 3.1

Renault RLD-2/RXD/RGD

Volvo VDS-3



			MOTOR GOLD Lighttec Premium
Parameter	Unit	Testing method	SAE 5W-30
Density 15°C	kg/m ³	DIN EN ISO 12185	855
Flash point COC	°C	DIN ISO 2592	> 200
Pour point	°C	DIN ISO 3016	-42
Viscosity 40°C	mm ² /s	DIN 51562-1	76.0
Viscosity 100°C	mm ² /s	DIN 51562-1	11.9
VI		DIN ISO 2909	153

04/2017

Version 4

The given data are typical data. Please observe operating prescriptions.

Available packaging:

	965 Liter	208 Liter	60 Liter	20 Liter	4 * 5 Liter	12 * 1 Liter	Notes:
MOTOR GOLD Lighttec Premium SAE 5W-30		•		•			

1

¹ This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AVISTA OIL Group or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale.

2