

Trade name: MOTOR GOLD Trucktec Ultra SAE FE 10W-30

Substance number

Version: 1 / GB

Date revised: 12.06.2018

Replaces Version: - / GB

Print date: 12.06.18

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

MOTOR GOLD Trucktec Ultra SAE FE 10W-30

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Engine oil

#### **Uses advised against**

No applications known.

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

AVISTA OIL Deutschland GmbH

Bahnhofstr. 82

31311 Uetze

Telephone no. + 495177 / 85 - 0

Information provided Product Management (+49 5177 / 85 -178 or -100)

by / telephone

E-mail address of msds@avista-oil.de

person responsible

for this SDS

### **1.4. Emergency telephone number**

+49 (0)551 19240 (24h/d) GIZ-Nord Poisons Centre

This number is only available within office times:

+49 51 77 / 85 -178 or -100 (Mo - Do 9 - 15 h / Fr 9 - 12 h)

## **SECTION 2: Hazards identification**

### **2.1. Classification of the substance or mixture**

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### **2.2. Label elements**

#### **Labelling according to regulation (EC) No 1272/2008**

EUH208 Contains 2,5-Furandion, Polymer mit 1-Hexadecen, 2-Methyloxiran-Polymer mit Oxiran-bis-(2-aminopropyl)ether und 2-Methyl-1-propen, 4-(Phenylamino)phenylimid, Calciumalkarylsulfonat, langkettiges, Calcium long chain alkaryl sulfonate, Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol, May produce an allergic reaction.

#### **Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)**

#### **Supplemental information**

EUH210 Safety data sheet available on request.

### **2.3. Other hazards**

Product can form a film on the water surface that can prevent oxygen exchange. Refer to section 11, 12 and 15.

## **SECTION 3: Composition/information on ingredients**

### **3.2. Mixtures**



Trade name: MOTOR GOLD Trucktec Ultra SAE FE 10W-30

Substance number

Version: 1 / GB

Date revised: 12.06.2018

Replaces Version: - / GB

Print date: 12.06.18

**Chemical characterization**Mineral oil  
Additive**Hazardous ingredients (Regulation (EC) No. 1272/2008)****Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated**

CAS No.	134758-95-5				
EINECS no.	603-861-6				
Concentration	>=	1	<	10	%

Classification (Regulation (EC) No. 1272/2008)		
	Aquatic Chronic 4	H413

**A mixture of isomers of: C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate**

CAS No.	125643-61-0				
EINECS no.	406-040-9				
Registration no.	01-0000015551-76				
Concentration	>=	1	<	10	%

Classification (Regulation (EC) No. 1272/2008)		
	Aquatic Chronic 4	H413

**2,5-Furandion, Polymer mit 1-Hexadecen, 2-Methyloxiran-Polymer mit Oxiran-bis-(2-aminopropyl)ether und 2-Methyl-1-propen, 4-(Phenylamino)phenylimid**

CAS No.	873694-48-5				
Concentration	>=	1	<	5	%

Classification (Regulation (EC) No. 1272/2008)		
	Aquatic Chronic 4	H413
	Skin Sens. 1	H317

Concentration limits (Regulation (EC) No. 1272/2008)		
	Skin Sens. 1	H317 > 5 %

**Polyolefin-polyaminsuccinimid, Polyol**

CAS No.	147880-09-9				
EINECS no.	604-611-9				
Concentration	>=	1	<	10	%

Classification (Regulation (EC) No. 1272/2008)		
	Aquatic Chronic 4	H413

**Bis(nonylphenyl)amine**

CAS No.	36878-20-3				
EINECS no.	253-249-4				
Registration no.	01-2119488911-28				
Concentration	>=	1	<	10	%

Classification (Regulation (EC) No. 1272/2008)		
	Aquatic Chronic 4	H413

**Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased**

CAS No.	68784-26-9				
EINECS no.	272-234-3				
Registration no.	01-2119524004-56-XXXX				



Trade name: MOTOR GOLD Trucktec Ultra SAE FE 10W-30

Substance number

Version: 1 / GB

Date revised: 12.06.2018

Replaces Version: - / GB

Print date: 12.06.18

Concentration	>=	1	<	10	%
---------------	----	---	---	----	---

Classification (Regulation (EC) No. 1272/2008)		
Aquatic Chronic 4		H413

**Calciumalkarylsulfonat, langkettiges**

CAS No. 722503-68-6

Concentration	>=	0,1	<	1	%
---------------	----	-----	---	---	---

Classification (Regulation (EC) No. 1272/2008)		
Aquatic Chronic 4		H413
Skin Sens. 1		H317

**Calcium long chain alkaryl sulfonate**

CAS No. 722503-69-7

Concentration	>=	0,1	<	1	%
---------------	----	-----	---	---	---

Classification (Regulation (EC) No. 1272/2008)		
Aquatic Chronic 4		H413
Skin Sens. 1B		H317

**Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol**

CAS No. 1428353-74-5

EINECS no. 806-731-9

Registration no. 01-2120067755-46-XXXX

Concentration	>=	0,1	<	1	%
---------------	----	-----	---	---	---

Classification (Regulation (EC) No. 1272/2008)		
Skin Sens. 1		H317
Aquatic Chronic 2		H411
Eye Irrit. 2		H319

**Other information**

The mixture includes the substance with the CAS 265-157-1 or the substance with the CAS 276-738-4. All concentrations are units of weight percent for liquids, and unit of volume percent for gaseous products. Other substances that are not classified to be hazardous, up to 100%. This mixture does not include any ingredients that have been classified to be hazardous whose concentrations exceed the limit values described in point 3.2.2 (Annex II, Regulation 1907/2006/EC. Complete text of hazard statements in chapter 16. Mixtures are not subject to registration. The registration numbers of the ingredients in this mixture (if present) have been listed in item 3. Test data verify that the zinc dialkyl dithiophosphate does not cause the classification of the product as "Eye irritant 2".

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

In case of persistent symptoms consult doctor. Remove soiled or soaked clothing immediately, do not allow to dry. Never give anything by mouth to an unconscious person.

**After inhalation**

In the event of symptoms take medical treatment. Remove the casualty into fresh air and keep him calm.

**After skin contact**

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists. Remove contaminated clothing.



Trade name: MOTOR GOLD Trucktec Ultra SAE FE 10W-30

Substance number

Version: 1 / GB

Date revised: 12.06.2018

Replaces Version: - / GB

Print date: 12.06.18

**After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

**After ingestion**

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

**Adhere to personal protective measures when giving first aid**

First aider: Pay attention to self-protection!

**4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

**4.3. Indication of any immediate medical attention and special treatment needed****Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Foam, Dry powder, Carbon dioxide, Water spray jet

**Non suitable extinguishing media**

Water

**5.2. Special hazards arising from the substance or mixture**

In case of combustion evolution of dangerous gases possible. The hot product develops flammable fumes. In the event of fire the following can be released: Pyrolysis products; Hydrocarbons; Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO); Hydrogen sulfide (H<sub>2</sub>S); Nitrogen oxides (NO<sub>x</sub>); Phosphorus oxides; Smoke.

**5.3. Advice for firefighters****Special protective equipment for fire-fighting**

In case of combustion use a suitable breathing apparatus. Wear full protective suit. Do not allow run-off from fire fighting to enter drains or water courses.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. High risk of slipping due to leakage/spillage of product. Avoid breathing vapours.

**6.2. Environmental precautions**

Do not allow to enter drains or waterways. Prevent spread over a wide area (e.g. by containment or oil barriers).

**6.3. Methods and material for containment and cleaning up**

Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). When picked up, treat material as prescribed under Section 13 "Disposal".

**6.4. Reference to other sections**

Refer to protective measures listed in Sections 7 and 8. Information regarding waste disposal, see Section 13.

**SECTION 7: Handling and storage**





Trade name: MOTOR GOLD Trucktec Ultra SAE FE 10W-30

Substance number

Version: 1 / GB

Date revised: 12.06.2018

Replaces Version: - / GB

Print date: 12.06.18

**Eye protection**

Tightly fitting safety glasses; Eye protection must comply with EN 166.

**Body protection**

Clothing as usual in the chemical industry. Protective gloves resistant to chemicals; With steel toe cap.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Flash point**

Value	>	200		°C
Method		ISO 2592		

**Pour Point**

Value	<		to	-39	°C
Method		DIN 3016			

**Upper/lower flammability or explosive limits**

Lower explosion limit	0,6	to	6,5	%(V)
-----------------------	-----	----	-----	------

**Density**

Value	0,865	to	0,875	g/cm <sup>3</sup>
-------	-------	----	-------	-------------------

**Solubility in water**

Remarks	insoluble
---------	-----------

**Viscosity****kinematic**

Value	64,6			mm <sup>2</sup> /s
Temperature	40	°C		

**kinematic**

Value	9,5	to	10,5	mm <sup>2</sup> /s
Temperature	100	°C		

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

**10.4. Conditions to avoid**

Oxidising agents

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products****Other information**

Refer to section 5.3.

**SECTION 11: Toxicological information**



Trade name: MOTOR GOLD Trucktec Ultra SAE FE 10W-30

Substance number

Version: 1 / GB

Date revised: 12.06.2018

Replaces Version: - / GB

Print date: 12.06.18

**11.1. Information on toxicological effects****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Sensitization**

Remarks Based on available data, the classification criteria are not met.

Remarks May cause sensitization by skin contact.

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)**

Remarks Based on available data, the classification criteria are not met.

**Other information**

There are no details for the formulation/mixture itself.

**SECTION 12: Ecological information****12.1. Toxicity****General information**

There are no data available on the mixture itself. The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

**12.2. Persistence and degradability****Biodegradability**

Remarks The product is not readily biodegradable according to OECD criteria but is inherently biodegradable.

**12.3. Bioaccumulative potential****General information**

There are no data available on the mixture itself.

**12.4. Mobility in soil****General information**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment****Evaluation of persistence and bioaccumulation potential**

The ingredients of this formulation do not comply with the criteria for the classification as PBT or vPvB.

**12.6. Other adverse effects**



Trade name: MOTOR GOLD Trucktec Ultra SAE FE 10W-30

Substance number

Version: 1 / GB

Date revised: 12.06.2018

Replaces Version: - / GB

Print date: 12.06.18

**General information / ecology**

Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations for the product**

EWC waste code	13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
----------------	-----------	---

Dispose of as hazardous waste.

**Disposal recommendations for packaging**

EWC waste code	13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
----------------	-----------	---

Packaging that cannot be cleaned should be disposed off as product waste.

EWC waste code	13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
----------------	-----------	---

Uncontaminated packaging may be taken for recycling.

**SECTION 14: Transport information****Information for all modes of transport****14.6. Special precautions for user**

Non-dangerous goods

**SECTION 15: Regulatory information****15.2. Chemical safety assessment**

For this preparation a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Hazard statements listed in Chapter 3**

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

**CLP categories listed in Chapter 3**

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment, chronic, Category 4
Eye Irrit. 2	Eye irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B

**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.